

# City of Carmel-by-the-Sea Building Safety Division

### Statement of Special Inspections, Tests, and Observations

Bld. Permit #: Location:		ect Type: Date: _	
Applicant:		Contractor:	
Address:		Address:	
City/State:	Zip:	City/State:	_ Zip:
Phone: E	mail:	Phone: Email:_	
Owner:		Engineer/Architect:	
Address:		Address:	
City/State:	Zip:	City/State:	Zip:
Phone: En	nail:	Phone: Email: _	
Project Description:			

This "Statement of Special Inspections, Tests, and Inspections" is submitted in accordance with the requirements Sections 1704 and 1705 of the California Building Code (CBC). Special Inspections, Tests, and Observations shall be performed in accordance with the APPROVED plans and specifications, this Statement and CBC Chapter 17. Reports of the results of special inspections, tests and observations shall be submitted to the Building Safety Division prior to City inspection of the subject work. A final Report of Special Inspections, Testing, and Observations documenting the following shall be submitted prior to issuance of a Certificate of Occupancy:

- The required inspections, tests and observations performed; and
- The manner of correction of any discrepancies and their final approval.

The Owner and Contractor recognize their obligations to ensure that the construction complies with the approved permit documents and to implement this program of special inspections. In partial fulfillment of these obligations, the Owner will retain and pay for the work described in this form.

This Statement has been developed with the understanding that the Building Official will:

- Review and approve the qualifications of the personnel performing special inspections, tests, and observations;
- Monitor special inspection activities on the job site to assure that the personnel are qualified to, and are, performing their duties as described herein;
- Review submitted inspection reports;
- Perform inspections on behalf of the City as required by the Carmel-by-the-Sea Building Code.

#### **Special Inspection Agencies Engaged**

Each special inspection agency, testing facility, and observer shall be recognized by the Building Official prior to performing any duties. Special inspection agencies listed on this form must be pre-approved and listed on the City of Carmel's approved Special Inspector list. No agency changes shall be made without first obtaining the approval of the Building Official. Any unauthorized changes may result in a "Stop Work Order" and possible permit revocation. To be pre-approved by the City of Carmel, a company shall be listed on the Monterey County Resource Management Agency Special Inspectors list; or shall submit a company profile including resumes of all employees, their certifications, and a list of the types of work for which recognition is requested to the Building Official at least 2 weeks in advance.

The following are the special inspection, testing and observation agencies that will perform work on this project

Expertise	Firm/Inspector Information*					
Special Inspection (Except for Geotechnical)	Firm:	irm: Address:				
	City:	State:	Zip:			
	Phone:	Email:				
Material Testing	Firm:	Address:				
	City:	State:	Zip:			
	Phone:	Email:				
Geotechnical	Firm:	Address:				
	City:	State:	Zip:			
	Phone:	Email:				
Other (Specify):	Firm:	Address:				
	City:	State:	Zip:			
	Phone:	Email:				

<sup>\*</sup> All agencies specified on this form must be listed on the Monterey Co. RMA Approved Inspector's List or be pre-approved by the City of Carmel Building Safety Division

### Acknowledgements

I have read and agree to comply with the terms and conditions of this statement

Prepared by:			
Project: □ Engineer □ Architect			
Registered Design Professional in Charge	Signature:	Lic. #	Date:
Owner Name:			
Owners Authorization	Signature		Date:
Inspection Agency/Inspector Name:			
	Signature		Date:
Building Official:			
Building Official's Acceptance	Signature		Date:

## **Descriptions of work requiring Special Inspections, Tests or Observations**

## Seismic Requirements (Section 1705.3.1)

Description of seismic-force resistance system and designated seismic systems subject to special inspections per Sec. 1705.3
Wind Requirements (Section 1705.4.1)
Description of the main wind-force resistance system and designated wind resisting components subject to special inspections per Sec. 1705.4.2  Geotechnical Requirements (Geotechnical Engineer's Report)
Description of the geotechnical elements subject to special inspection, testing and observations.

### **Schedule of Special Inspections, Tests and Observations**

Table Legend								
Column Headers	Box Entries							
C – Indicates continuous inspection is required P – Indicates periodic inspections are required per the plans and contract documents	<ul> <li>X – Is placed in the column to denote either "C" continuous or "P" periodic inspections</li> <li>– Denotes an activity that is either a one-time activity or one whose frequency is defined by the design professional in responsible charge</li> </ul>							

Instructions: Check the boxes that apply for each special inspection, test, or observation that applies to the project. Designer may designate additional, project-specific inspections, tests or observations not specified in the table

Code Section	Inspection/Test/Observation	С	Р	Notes		
Sec. 1704 Special Inspections						
1704.2.1	Fabrication shop qualification:					
	☐ Inspect fabricators fabrication and quality control procedures	-	-			
	Material verification of high-strength bolts, nuts, washers:		х			
	☐ Identification marking conform to ASTM referenced standards		^			
	☐ Manufacturer's Certificate of Compliance required		х			
	Inspection of high-strength bolting:		х			
	☐ Bearing-type connections		^			
	□ Slip-critical connections	Х	Х			
	Material verification of structural steel:					
	☐ Identification markings conform to ASTM referenced standards	_	_			
Table 1704.3	☐ Manufacturer's mill test reports required	-	_			
Steel	Material verification of weld filler materials:					
	☐ Identification markings conform to ASTM referenced standards	_	_			
	☐ Manufacturer's Certificate of Compliance required	_	_			
	Inspection of welding for STRUCTURAL steel:	х				
	☐ Complete and partial penetration welds	^				
	☐ Multi-pass fillet welds	Х				
	☐ Single-pass fillet welds >5/16"	Х				
	☐ Single-pass fillet welds < 5/16"		Х			
	☐ Floor and roof deck welds		Х			

Code Section	Inspection/Test/Observation	С	Р	Notes
	Inspection of welding for REINFORCING steel:  ☐ Verification of weld-ability of reinforcing steel other than ASTM A706		х	
	☐ Reinforcing steel-resisting flexural and axial forces in intermediate and special moment frames and boundary elements of special reinforced concrete shear walls and shear reinforcing.	х		
Table 1704.3	□ Shear reinforcement	х		
Steel	□ Other reinforcing steel		Х	
	Inspection of steel frame joint details for compliance with plans  ☐ Bracing and stiffening details			
	□ Member locations		Х	
	□ Application of joint details at each connection			
	☐ Welded studs when used for structural diaphragms		Х	
1704.3 Welding	□ Welding of cold-formed sheet steel framing members		х	
_	☐ Welding of stairs and railing systems		х	
	☐ Inspection of reinforcing steel, including pre-stressing tendons and placement		х	
	☐ Inspection of reinforcing steel welding in accordance with T. 1704.3 Item 5b	-	_	
	☐ Inspect bolts to be installed in concrete prior to and during placement of concrete where allowable loads have been increased	х		
	□ Verifying use of specified design mix		Х	
1704.4 Concrete	☐ At time fresh concrete is sampled to fabricate specimens for strength tests, perform slump and air content tests, and determine the temp. of the concrete	х		
Concrete	☐ Inspection of concrete and shotcrete placement for proper application techniques	х		
	☐ Inspection for maintenance of specified curing temp. and techniques		х	
	Inspection of pre-stressed concrete	х		
	☐ Application of pre-stressing forces			
	☐ Grouting of bonded pre-stressed tendons in the seismic force-resisting system	х		
	☐ Erection of pre-cast members		Х	

Code Section	Inspection/Test/Observation	С	Р	Notes
	At the start of masonry construction verify the following to ensure compliance:  □ Proportions of site-prepared mortar		х	
	☐ Construction of mortar joints		х	
	☐ Location of reinforcement, connectors, pre-stressing tendons, and anchorages		х	
	□ Pre-stressing technique		Х	
	☐ Grade and size of pre-stressing tendons and anchorages		Х	
	Verify:  ☐ Size and location of structural elements		х	
	☐ Type, size, and location of anchors, including other details of anchorage of masonry to structural members, frames or other construction.		х	
	☐ Specified size, grade and type of reinforcement		Х	
Table	□ Welding of reinforcing bars	Х		
1704.5.1 Level 1	☐ Protection of masonry during extreme weather (<40° or >90°)		Х	
Masonry Inspection	☐ Application and measurement of prestressing force		Х	
	Prior to grouting verify the following for compliance  ☐ Grout space is clean		х	
	☐ Placement of reinforcement, connectors, prestressing tendons and anchorages		х	
	☐ Proportions of site-prepared grout and prestressing grout for bonded tendons		х	
	□ Construction of mortar joints		Х	
	Grouting:  ☐ Verify grout placement to ensure compliance with code and construction document specifications	х		
	☐ Observe grouting of prestressing bonded tendons	Х		
	☐ Observe preparation of required grout specimens, mortar specimens or prisms	х		
	☐ Verify compliance with required inspection provisions of the construction documents and the approved submittals		х	

Code Section	Inspection/Test/Observation	С	Р	Notes
	From the beginning of masonry construction the following shall be			
	verified to ensure compliance:		Х	
	☐ Proportions of site-prepared mortar, grout, and prestressing		^	
	grout for bonded tendons.			
	☐ Placement of masonry units and construction of mortar joints		Х	
	☐ Placement of reinforcement, connectors, and prestressing		х	
	tendons and anchorage			
	☐ Grout space prior to grouting	X		
	□ Placement of grout	X		
Table	☐ Placement of prestressing grout	X		
1704.5.3	Verify:		х	
Level 2	☐ Size and location of structural elements		^	
Masonry	☐ Type, size, and location of anchors, including other details of			
Inspection	anchorage of masonry to structural members, frames and other	X		
	construction			
	☐ Specified size, grade, and type of reinforcement		Х	
	☐ Welding of reinforcement bars	X		
	☐ Protection of masonry during extreme weather (<40° or >90°)		X	
	☐ Application and measurement of prestressing force	Х		
	☐ Observation of the preparation of any required grout specimens,	х		
	mortar specimens, and/or prisms	^		
	☐ Verification of compliance with required provisions of		х	
	construction documents and the approved submittals			
Section	☐ Inspection of pre-fabricated wood structural elements and			
1704.6	assemblies in accordance with Section 1704.2	_	_	
	☐ Inspect site-built assemblies	_		
1704.6.1	☐ Verify grade and thickness of sheathing	_		
High-Load Diaphragms	□ Verify nominal size of framing members at adjoining panel edges	_		
	□ Verify:			
	a. Nail or staple diameter and length			
	b. Number of fastener lines	_	_	
T-11	c. Spacing between fasteners in the field and at the edges			
Table 1704.7	☐ Verify materials below footings are adequate to achieve the		х	
Soils	desired bearing capacity			
55115	☐ Verify excavations are extended to proper depth and have		х	
	reached proper material		V	
	☐ Perform classification and testing of controlled fill materials		X	
	☐ Verify use of proper materials, densities and lift thicknesses	Х		
	during placement and compaction of controlled fill			
	☐ Prior to placement of controlled fill, observe subgrade and verify		х	
	that site has been properly prepared			

Code Section	Inspection/Test/Observation	С	Р	Notes
	☐ Verify pile materials, sizes, and lengths comply with design	х		
	requirements			
	☐ Determine capacities of test piles and conduct additional load	x		
	tests as required	<u> </u>		
	☐ Observe driving operations and maintain complete and	х		
	accurate records for each pile			
	☐ Verify location of piles and their plumbness			
Table	a. Confirm type and size of hammer	V		
1704.8 Pile	b. Record number of blows per foot of penetration	X		
Foundations	c. Determine required penetrations to achieve design capacity d. Record tip and but elevations and record any pile damage			
	☐ For steel piles, perform additional inspections in accordance			
	with Sec. 1704.3	-	_	
	☐ For specialty piles, perform additional inspections as			
	determined by the registered design professional in responsible		_	
	charge		-	
	☐ For augered, uncased piles and caisson piles, perform			
	inspections in accordance with Sec. 1704.9	-	-	
	Observe drilling operations and maintain complete and	х		
	accurate records for each pier	^		
Table 1704.9	☐ Verify locations of piers and their plumbness, confirming:			
Pier	a. Pier diameter			
Foundations	b. Bell diameters	X		
	c. Lengths, embedment into bedrock (if applicable)			
	d. Adequate end strata bearing capacity			
	☐ Inspect surface for compliance with the approved fire- resistance design and the approved manufacturer's written			
	instructions	-	_	
1704.10	☐ Verify minimum ambient temperature before and after			
Spray	application	-	_	
Applied Fire-	☐ Verify ventilation of area during and after application		Х	
Resistant	☐ Measure average thickness per ASTM E605 and Sec. 1704.10.3			
Materials	□ Verify density of material for conformance with the approved			
	fire-resistant design and ASTM E605	-	-	
	☐ Test cohesive/adhesive bond strength per Sec. 1704.10.5	1_	_	
1704.11	☐ Mastic and intumescent fire-resistant coatings	_	_	
1704.12	☐ Exterior Insulation and Finish Systems (EFIS)	<u> </u>	_	
1704.13	☐ Alternate materials and systems	1_	_	
1704.14	☐ Smoke control systems	1_	_	
	Section 1705 – Statement of Special Inspections			
1705.3.4 (4.3)	☐ Suspended ceiling systems and their anchorage	-	_	
	☐ Roof cladding and roof framing connections	L-	_	
1705.4.2	☐ Wall connections to roof and floor diaphragms and framing	_	_	
Wind	☐ Roof and floor diaphragm systems, including collectors, drag	Ĭ _	_	
	struts and boundary elements			
		•		

Code Section	Inspection/Test/Observation	С	Р	Notes	
	$\hfill \square$ Vertical wind-force-resisting systems, including braced frames,	_	l _		
	moment frames and shear walls	<u> </u>			
	☐ Wind-force-resisting-system connections to the foundation	_	-		
	☐ Fabrication and installation of systems or components required to	_	_		
	meet the impact resistance requirements of Sec. 1609.1.2  Section 1707 – Special Inspections for Seismic Resistance	,			
1707.2	□ Special inspection for welding in accordance with AISC 341	x			
	☐ Inspect field gluing operations of elements of the seismic-force-				
	resisting-system	Х			
-	☐ Inspect nailing, bolting, anchoring, and other fastening of components				
1707.3	within the seismic-force-resisting-system including:				
Wood	a. Wood shear walls		v		
	b. Wood diaphragms		Х		
	c. Drag struts, braces d. Shear panels				
	e. Hold-downs				
1707.4 Cold	☐ Welding of elements of the seismic-force-resisting-system		Х		
Formed	☐ Inspection of screw attachments, bolting, anchoring, and other				
Steel	fastening of components within the seismic-force-resistance-system		Х		
	including struts, braces and hold-downs				
1707.5 Pier	☐ Placement of reinforcing		Х		
Foundation	□ Placement of concrete	Х			
1707.6	☐ Anchorage of storage racks and access floors 8 feet or greater in height		Х		
	☐ Inspect erection and fastening of exterior cladding weighing more than		х		
1707.7	5 psf.				
Architectural	☐ Inspect erection and fastening of interior and exterior non-bearing		Х		
Components	walls weighing more than 15 psf				
	☐ Inspect erection and fastening of interior and exterior veneer weighing more than 5 psf		Х		
1707.8	☐ Inspect anchorage of electrical equipment for emergency or stand-by				
Mechanical	power systems		Х		
and Electrical Components	☐ Inspect anchorage of non-emergency electrical equipment		Х		
	☐ Inspect installation of piping systems and associated mechanical units		х		
_	carrying flammable, combustible, or highly toxic contents		^		
	$\hfill \square$ Inspect installation of HVAC ductwork that contains hazardous		х		
-	materials		<u> </u>		
	☐ Inspect installation of vibration isolation systems where required by		х		
1707.9	Sec. 1707.8				
1707.5	☐ Verify that the equipment label and anchorage or mounting conforms to the Certificate of Compliance when mechanical and electrical				
	equipment must be seismically qualified.	_	_		
1707.10	☐ Seismic isolation system inspection in accordance with ASCE 7-Sec.		,,		
	17.2.4.8		Х		
Section 1708.1 Structural Masonry Testing for Seismic Resistance					
1708.1.1	☐ Verify certificates of compliance prior to construction	_	_		
1708.1.2	$\ \square$ Verify $f'_m$ and $f'_{AAC}$ prior to construction	_	_		
1708.1.4	$\hfill \square$ Verify ${F'}_m$ and ${f'}_{AAC}every$ 5000 square feet during construction		Х		
1708.1.4	☐ Verify proportions of materials in mortar and grout upon delivery	_	_		

<b>Code Section</b>	Inspection/Test/Observation	С	Р	Notes
1708.3	☐ Obtain mill certificates for reinforcing steel, verify compliance with approved construction documents, and verify steel supplied corresponds to certificate	_	-	
1708.4	☐ Structural steel – Invoke the QAP Quality Assurance requirements in AISC 341	-	ı	
1708.5	☐ Obtain certificate that equipment has been tested per Sec. 1708.5	ı	1	
1708.6	☐ Obtain system tests as required by ASCE 7 Sec. 17.8	_	-	
	Other Required Inspections/Tests/Observations			
	☐ Structural Epoxy (per evaluation report)		Х	
	☐ Manufactured shear panel(s) used in seismic/wind resistance system (per evaluation report)		х	
	☐ Geotechnical engineers review of plans for conformance with recommendations/report findings		х	